



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/693,589	10/24/2003	Jeffrey P. Snover	MS1-1742US	1106
22801	7590	09/22/2005		
LEE & HAYES PLLC 421 W RIVERSIDE AVENUE SUITE 500 SPOKANE, WA 99201			EXAMINER SINGH, RACHNA	
			ART UNIT	PAPER NUMBER

2176

DATE MAILED: 09/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/693,589

Applicant(s)

SNOVER ET AL.

Examiner

Rachna Singh

Art Unit

2176

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 September 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-37 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-37 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 03/31/04.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

PD

DETAILED ACTION

1. This action is responsive to communications: Application filed 10/24/03.
2. Claims 1-37 are pending. Claims 1, 12, 20, and 26 are independent claims.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

4. Claims 1-3, 7-28, and 32-37 are rejected under 35 U.S.C. 102(a) as being anticipated by Muhlestein et al., US 2003/0018765 A1 (field 01/23/03).

In reference to claim 1, Muhlestein teaches a system and method for accessing management functionality through a command line utility. See page 2, paragraphs [0011]-[0015] and page 34, first column. Muhlestein discloses an object model command schema defining a mapping between one or more commands and an object model target schema, the one or more commands generated by the command schema and configured to operate against the target schema through the command line utility. The command schema is extensible to permit the generation of additional commands to be added to the one or more commands. Compare to ***"in an operating environment supporting a subsequent command within the pipeline being configured to communicate with a prior command within the pipeline through a parseable object emitted from the prior command, the operating environment configured to support the execution of commands within the same process."*** The command

schema comprises an alias class defining a command template and a format class as a subclass to the alias class, each instance of the format class representing a list of properties that will be returned through processing an alias. The alias object is a command that is executed in order to capture the features of the target class and to facilitate a task. Alias objects are instances of command-related classes organized into a command schema. The command schema defines the commands and the command line utility uses the aliases to interpret command information and apply the interpretation against the target schema. Properties of the alias object can be arranged in named formats that include property values that can be formatted for display. See page 5. The formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059]. Compare to ***“obtaining a data type for the parseable object; obtaining format information describing a format for the data type;”*** Muhlestein further teaches permitting the generation of additional commands to be added to one or more commands. The user can parameterize commands by specifying locations of command definitions and target system objects. A connection class, a subclass to the alias class, defines the connection instances, each connection instance representing connection parameters used by an alias to establish a connection to target namespace within the target schema. The format class represents a list of properties that will be returned through processing an alias. The command schema is extensible to permit the generation of additional commands to be added to the set of commands. See page 8 and page 34.

Compare to ***“emitting a format object for access by another subsequent command, the format object being based on the format information”***.

In reference to claim 2, Muhlestein teaches the command line utility reads XML information. See page 10, paragraph [0095].

In reference to claim 3, Muhlestein teaches the command schema comprises an alias class defining a command template and a format class as a subclass to the alias class, each instance of the format class representing a list of properties that will be returned through processing an alias. The alias object is a command that is executed in order to capture the features of the target class and to facilitate a task. Alias objects are instances of command-related classes organized into a command schema. Properties of the alias object can be arranged in named formats that include property values that can be formatted for display. See page 5. The formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059].

In reference to claim 7, Muhlestein teaches the command schema comprises an alias class defining a command template and a format class as a subclass to the alias class, each instance of the format class representing a list of properties that will be returned through processing an alias. The alias object is a command that is executed in order to capture the features of the target class and to facilitate a task. Alias objects are instances of command-related classes organized into a command schema. The command schema defines the commands and the command line utility uses the aliases to interpret command information and apply the interpretation against the target

Art Unit: 2176

schema. Properties of the alias object can be arranged in named formats that include property values that can be formatted for display. See page 5. The formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059]. Muhlestein further teaches permitting the generation of additional commands to be added to one or more commands. The user can parameterize commands by specifying locations of command definitions and target system objects. A connection class, a subclass to the alias class, defines the connection instances, each connection instance representing connection parameters used by an alias to establish a connection to target namespace within the target schema. The format class represents a list of properties that will be returned through processing an alias. The command schema is extensible to permit the generation of additional commands to be added to the set of commands. See page 8 and page 34.

In reference to claims 8-10, Muhlestein teaches the formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059]. Muhlestein further teaches the Format string provides a location of an XSL file that can be used to format the display for the list of properties being returned to the user through the alias. The WMI command line utility returns information as XML documents which are processed using XSL to render reports for the user in multiple formats as determined by the XSL file located through the format string. Any display strategies to be used in displaying properties will be defined by the XSL style sheet in formatting displays. See page 6, paragraph [0063].

In reference to claim 11, Muhlestein teaches properties of the alias object can be arranged in named formats that include property values that can be formatted for display. See page 5. The formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059].

Claims 12-19 are rejected under the same rationale used in claims 1-3 and 7-11 respectively above.

Claims 20-25 are rejected under the same rationale used in claims 1-2, 11, 7-8, and 10 respectively above.

In reference to claims 26, Muhlestein teaches a command line utility comprising an object model command schema to define a mapping between one or more commands an object model target schema, the one or more commands generated by the command schema and configured to operate against the target schema through the command line. The command line utility comprises an alias class defining a command template, each alias of the alias class representing a single command and a format class as a subclass to the alias class, each instance of the format class representing a list of properties that will be returned through processing an alias. The command schema defines the commands and the command line utility uses the aliases to interpret command information and apply the interpretation against the target schema. Properties of the alias object can be arranged in named formats that include property values that can be formatted for display. See page 5. The formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059].

In reference to claims 27-28 Muhlestein teaches an object-based command-line environment. See abstract and pages 1-2.

In reference to claims 32, 36, and 37, Muhlestein teaches the formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059]. Muhlestein further teaches the Format string provides a location of an XSL file that can be used to format the display for the list of properties being returned to the user through the alias. The WMI command line utility returns information as XML documents which are processed using XSL to render reports for the user in multiple formats as determined by the XSL file located through the format string. Any display strategies to be used in displaying properties will be defined by the XSL style sheet in formatting displays. See page 6, paragraph [0063].

In reference to claims 33-35, Muhlestein further teaches permitting the generation of additional commands to be added to one or more commands. The user can parameterize commands by specifying locations of command definitions and target system objects. A connection class, a subclass to the alias class, defines the connection instances, each connection instance representing connection parameters used by an alias to establish a connection to target namespace within the target schema. The format class represents a list of properties that will be returned through processing an alias. The command schema is extensible to permit the generation of additional commands to be added to the set of commands. See page 8 and page 34

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 4-6 and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Muhlestein et al., US 2003/0018765 A1 (field 01/23/03).

In reference to claims 4-6, Muhlestein teaches the formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059]. Muhlestein further teaches the Format string provides a location of an XSL file that can be used to format the display for the list of properties being returned to the user through the alias. The WMI command line utility returns information as XML documents which are processed using XSL to render reports for the user in multiple formats as determined by the XSL file located through the format string. Any display strategies to be used in displaying properties will be defined by the XSL style sheet in formatting displays. See page 6, paragraph [0063]. At the time of the invention, it was a notoriously well known to display results in a GUI or console as implied by Muhlestein's teachings of displaying the properties thus it would have been obvious to a person of ordinary skill in the art to display the results in a graphical user interface or console. See figures 2 and 3.

In reference to claims 29-31, Muhlestein teaches the formats attribute includes a list of properties that are to be displayed using the given format. See page 34 and page 6, paragraphs [0054]-[0059]. Muhlestein further teaches the Format string provides a location of an XSL file that can be used to format the display for the list of properties being returned to the user through the alias. The WMI command line utility returns information as XML documents which are processed using XSL to render reports for the user in multiple formats as determined by the XSL file located through the format string. Any display strategies to be used in displaying properties will be defined by the XSL style sheet in formatting displays. See page 6, paragraph [0063]. At the time of the invention, it was a notoriously well known to display results in a GUI or console as implied by Muhlestein's teachings of displaying the properties thus it would have been obvious to a person of ordinary skill in the art to display the results in a graphical user interface or console. See figures 2 and 3.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Hickey et al.	US 2003/0050997
Glass	US 6,629,128
Boykin et al.	US 2003/0001894
Chen et al.	US 6,625,590


Art Unit: 2176

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rachna Singh whose telephone number is 571-272-4099. The examiner can normally be reached on M-F (8:30AM-6:00PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather Herndon can be reached on 571-272-4136. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RS
09/16/05


WILLIAM BASHORE
PRIMARY EXAMINER
9/19/2005